

DESCRIPTION

"Software error encountered. This trap indicates that NM*TrpMgr was unable to perform some action and explains the error. This trap is typically encountered if tCfgFile is set to a new file name which is erroneous or contains invalid data."

::= 1

tUsrTrp TRAP-TYPE

ENTERPRISE comtekVmsNMTrpMgrSubagent
VARIABLES { tTrapNextSeqNum, tTrapTime, tTrapUserMsgOne,
tTrapUserMsgTwo, tTrapUserMsgThree,
tTrapUserMsgFour, tTrapUserMsgFive,
tTrapUserMsgSix, tTrapUserMsgSeven }

DESCRIPTION

"Message from user process. This trap contains the data that was read from the COMTEK\$USER_TRAP mailbox."

::= 2

tTermProc TRAP-TYPE

ENTERPRISE comtekVmsNMTrpMgrSubagent
VARIABLES { tTrapNextSeqNum, tTrapTime }

DESCRIPTION

"NM*TrpMgr Subagent process termination."

::= 3

tWarmStart TRAP-TYPE

ENTERPRISE comtekVmsNMTrpMgrSubagent
VARIABLES { tTrapNextSeqNum, tTrapTime }

DESCRIPTION

"The NM*TrpMgr Subagent process has been reinitialized."

::= 4

tSevSuccess TRAP-TYPE

ENTERPRISE comtekVmsNMTrpMgrSubagent
VARIABLES { tTrapNextSeqNum, tTrapTime, tSevSuccessCode,
tSevSuccessMsg }

DESCRIPTION

"Severity Success traps. This trap contains data that was read from the COMTEK\$SUCCESS_TRAP mailbox."

::= 5

tSevInformational TRAP-TYPE

ENTERPRISE comtekVmsNMTrpMgrSubagent
VARIABLES { tTrapNextSeqNum, tTrapTime, tSevInfoCode,
tSevInfoMsg }

DESCRIPTION

"Severity Informational traps. This trap contains data that was read from the COMTEK\$INFORMATIONAL_TRAP mailbox."

::= 6

tSevWarning TRAP-TYPE

ENTERPRISE comtekVmsNMTrpMgrSubagent
VARIABLES { tTrapNextSeqNum, tTrapTime, tSevWarningCode,
tSevWarningMsg }

DESCRIPTION

"Severity Warning traps. This trap contains data that was read from the COMTEK\$WARNING_TRAP mailbox."

::= 7

tSevError TRAP-TYPE

ENTERPRISE comtekVmsNMTrpMgrSubagent

VARIABLES { tTrapNextSeqNum, tTrapTime, tSevErrorCode,
tSevErrorMsg }

DESCRIPTION

"Severity Error traps. This trap contains data that was
read from the COMTEK\$ERROR_TRAP mailbox."

::= 8

tSevFatal TRAP-TYPE

ENTERPRISE comtekVmsNMTrpMgrSubagent

VARIABLES { tTrapNextSeqNum, tTrapTime, tSevFatalCode,
tSevFatalMsg }

DESCRIPTION

"Severity Fatal traps. This trap contains data that was
read from the COMTEK\$FATAL_TRAP mailbox."

::= 9

END